



CORFLUTE® MATERIAL SAFETY DATA SHEET

Emergency telephone number (Business Hours) 61 3 9238 1300

Date Issued: 11th February 2023

1. IDENTIFICATION OF MATERIAL AND SUPPLIER

PRODUCT NAME: CORFLUTE

OTHER NAMES: Twin wall corrugated polypropylene sheet

RECOMMENDED USE: General purpose lightweight, rigid polymer sheet for several industrial and commercial uses.

SUPPLIER NAME: Corex Plastics (Aust.) Pty. Ltd.

ADDRESS: 261 Frankston, Dandenong Rd, Vic 3175, Australia

TELEPHONE NUMBER: +61 (3) 9238 1300

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA.

UN NUMBER, DANGEROUS GOODS CLASS, HAZCHEM CODING AND POISONS SCHEDULES DO NOT APPLY TO THIS MATERIAL. PFAS COMPLIANT.

3. INGREDIENTS

Chemical Name	CAS Number	Proportion
Polypropylene/ethylene copolymer	9010-79-1	>75%
Additives for process and long-term stabilisation, polymer modification aids deemed non-hazardous but material supplier MSDS documents. More information on request.	various	<25%

4. FIRST AID

EYE: If irritation occurs, hold eyes open and flood with water for 15 mins. If irritation persists, seek medical attention.

SWALLOWED: No specific measures are required in case of ingestion of the product. Get medical advice if necessary.

SKIN/BURNS: Should be cooled with cold water or ice. Do not use ice or cold packs if burned area covers more than 10% of the body as this may contribute to the shock. Leave burned area uncovered. **DO NOT TRY TO REMOVE SOLIDIFIED PRODUCT FROM THE SKIN.** Seek immediate medical advice.

INHALED: Treatment not ordinarily required. If a large number of fumes are inhaled, keep the patient in a well-ventilated area. If symptoms persist, seek medical advice.

ADVICE TO DOCTOR: Pre-existing eye and respiratory complaints may be aggravated by exposure to product fines and fumes at processing temperatures.

BURNS: No attempt should be made to remove the solidified product (it acts as a sterile dressing).

The information contained in this MSDS is to the best of our knowledge true and correct. However, as many factors outside our knowledge and control can affect the use of products, no warranty can be given or is to be implied in respect of such information and no information should be construed as a warranty in relation to the product or its use. Corex Plastics (Australia) Pty Ltd disclaims and does not accept liability for the information or recommendations whether contractual or tortious and hereby excludes all warranties to be implied by law in relation to the product or its use other than those non-excludable warranties implied by law. Nothing herein shall be construed as a recommendation to use any product in conflict with existing industrial property rights covering any material or its use.

Find out more at corex.com.au | hello@corex.com.au | (03) 9238 1300

Corex Plastics (Australia) Pty Ltd

261 Frankston-Dandenong Road,
Dandenong, Victoria, Australia, 3175

ABN. 39 006 418 300

Corex Recycling Pty Ltd

2 Monterey Rd,
Dandenong, Victoria, Australia, 3175

ABN. 39 126 973 500

Megara (Australia) Pty Ltd

261 Frankston-Dandenong Rd
Dandenong VIC, 3175.

ABN 99 657 527 010





CORFLUTE® MATERIAL SAFETY DATA SHEET

Emergency telephone number (Business Hours) 61 3 9238 1300

5. FIRE FIGHTING MEASURES

FLAMMABILITY: Combustible substance. Will not burn unless preheated. Take precautions against static electricity discharges. Ensure adequate ventilation. Earth and bond all process equipment. Ensure all process equipment is flameproof.

SUITABLE EXTINGUISHING MEDIA: Use the following extinguishing media

1. Foam.
2. Carbon dioxide.
3. Chemical powder.
4. Water fog/spray on fires.

HAZARDS FROM COMBUSTION PRODUCTS: Product generally burns slowly with a low smoke density and flaming drips. Under certain conditions it can burn with a high smoke density. Smoke from burning polypropylene can contain various levels of toxic gases, including carbon dioxide and carbon monoxide, ketones, acroleins, aldehydes and unidentified organic compounds, depending on the amount of oxygen present.

PROTECTIVE EQUIPMENT: Do not enter confined space without adequate protective clothing. Emergency personnel should wear:

1. Leather boots
2. Helmet and face shield
3. Leather gloves
4. Suitable fire resistant, non-melting protective clothing
5. Self-contained breathing apparatus should be used.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: For molten product- Hose with water and allow to cool. Scoop up solidified material and place in containers for reclaim. Refer to local waste management authority for land fill and incineration guidelines.

7. HANDLING AND STORAGE

- Store away from strong oxidising agents.
- Protect from heat and direct sunlight.
- Store under cool, dry conditions. Minimise accumulation of dust.
- Take precautions against static electricity discharges.
- Open flames prohibited.

The information contained in this MSDS is to the best of our knowledge true and correct. However, as many factors outside our knowledge and control can affect the use of products, no warranty can be given or is to be implied in respect of such information and no information should be construed as a warranty in relation to the product or its use. Corex Plastics (Australia) Pty Ltd disclaims and does not accept liability for the information or recommendations whether contractual or tortious and hereby excludes all warranties to be implied by law in relation to the product or its use other than those non-excludable warranties implied by law. Nothing herein shall be construed as a recommendation to use any product in conflict with existing industrial property rights covering any material or its use.

Find out more at corex.com.au | hello@corex.com.au | (03) 9238 1300

Corex Plastics (Australia) Pty Ltd

261 Frankston-Dandenong Road,
Dandenong, Victoria, Australia, 3175

ABN. 39 006 418 300

Corex Recycling Pty Ltd

2 Monterey Rd,
Dandenong, Victoria, Australia, 3175

ABN. 39 126 973 500

Megara (Australia) Pty Ltd

261 Frankston-Dandenong Rd
Dandenong VIC, 3175.

ABN 99 657 527 010





CORFLUTE® MATERIAL SAFETY DATA SHEET

Emergency telephone number (Business Hours) 61 3 9238 1300

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS: No data available on polypropylene.

ENGINEERING CONTROLS: At room temperature special ventilation is not normally required.

Ventilation should be provided to remove fumes generated during processing. Dust generated in handling granular polypropylene presents no special health hazard, but atmospheric dust levels should nevertheless be minimised and the National Health & Medical Research Council's Hygienic Standard of 10 g/m³ for nuisance dusts, observed.

PERSONAL PROTECTION: When handling material at room temperature, no special protection is required. If large quantities of dust or fumes are present, then a dust mask or respirator complying with AS1715 or AS1716 should be utilised, as appropriate.

When product is heated during processing adequate ventilation and/or engineering controls are required. Where molten product is liable or likely to come into contact with the person, the following equipment is required;

1. Full face shield.
2. Heat resistant gloves (long gauntlets).
3. Cotton combination overalls with close fit at neck and wrists.
4. Leather safety shoes or rubber boots (trousers worn outside).
5. Hard hat

9. PHYSICAL DESCRIPTION AND PROPERTIES (Typical Figures)

APPEARANCE: Sheet product with two skins joined by internal uprights known as ribs. Similar structure to a harmonica.

ODOUR: Odourless at room temperature.

VAPOUR PRESSURE: Not applicable

VAPOUR DENSITY: Not applicable

BOILING POINT: Not applicable

MELTING POINT: 160-165 °C

SOLUBILITY (WATER): Insoluble

SPECIFIC GRAVITY: 0.90-1.00 g/cm³ @ 15 °C

FLASH POINT: Not applicable

EXPLOSION LIMIT: Not applicable to granules

AUTOIGNITION: 390°C minimum.

LEL: not available

UEL: not available

The information contained in this MSDS is to the best of our knowledge true and correct. However, as many factors outside our knowledge and control can affect the use of products, no warranty can be given or is to be implied in respect of such information and no information should be construed as a warranty in relation to the product or its use. Corex Plastics (Australia) Pty Ltd disclaims and does not accept liability for the information or recommendations whether contractual or tortious and hereby excludes all warranties to be implied by law in relation to the product or its use other than those non excludable warranties implied by law. Nothing herein shall be construed as a recommendation to use any product in conflict with existing industrial property rights covering any material or its use.

Find out more at corex.com.au | hello@corex.com.au | (03) 9238 1300

Corex Plastics (Australia) Pty Ltd

261 Frankston-Dandenong Road,
Dandenong, Victoria, Australia, 3175

ABN. 39 006 418 300

Corex Recycling Pty Ltd

2 Monterey Rd,
Dandenong, Victoria, Australia, 3175

ABN. 39 126 973 500

Megara (Australia) Pty Ltd

261 Frankston-Dandenong Rd
Dandenong VIC, 3175.

ABN 99 657 527 010





CORFLUTE® MATERIAL SAFETY DATA SHEET

Emergency telephone number (Business Hours) 61 3 9238 1300

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

CONDITIONS TO AVOID: Avoid contact with strong oxidizing agents, strong alkalines and acids.

INCOMPATIBLE MATERIALS: Strong oxidation agents

DECOMPOSITION PRODUCTS: No hazardous decomposition products known at room temperature.

At processing temperatures, some degree of degradation will occur. Although highly dependent on temperature and environmental conditions a variety of decomposition products may be present ranging from simple hydrocarbons (such as methane and propane) to toxic/irritating gases (carbon monoxide and dioxide, acrolein, acids, ketones, aldehydes).

HAZARDOUS REACTIONS: No dangerous reactions known.

11. TOXICOLOGICAL INFORMATION

ACUTE: At room temperature the product is not an irritant and does not liberate dangerous fumes. In its molten state the material will have a temperature in excess of 150°C and will cause severe burns. Preexisting eye and respiratory complaints may be aggravated by exposure to product fines (powder) and/or fumes generated at processing temperatures.

SWALLOWED: The material is considered non-toxic and no specific measures are required in case of ingestion.

EYE: Product fines may cause mechanical irritation to eyes. Rinse eye with cold running water for several minutes then seek medical advice.

Process vapours may irritate eyes, ensure adequate ventilation.

SKIN: Contact with molten material can cause severe burns.

INHALATION: Product fines may cause mechanical irritation to the respiratory system.

Process vapours could be irritating to the respiratory system.

CHRONIC: Limited toxicological studies show no signs of toxicity to animals. No data is available for humans.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Not available.

PERSISTENCE AND DEGRADABILITY: This product is not biodegradable.

MOBILITY: Floats on water.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

1. Recycle (reprocess).
2. Refer to local waste management authority for land fill and incineration guidelines.

14. TRANSPORT INFORMATION

Polypropylene is not defined as a Dangerous Good by the Australian Code of the Transport of Dangerous Good by Road and Rail.

UN NUMBER: Not applicable

CLASS AND SUBSIDIARY RISK: None allocated

PACKING GROUP: None allocated

HAZCHEM CODE: Not applicable

The information contained in this MSDS is to the best of our knowledge true and correct. However, as many factors outside our knowledge and control can affect the use of products, no warranty can be given or is to be implied in respect of such information and no information should be construed as a warranty in relation to the product or its use. Corex Plastics (Australia) Pty Ltd disclaims and does not accept liability for the information or recommendations whether contractual or tortious and hereby excludes all warranties to be implied by law in relation to the product or its use other than those non-excludable warranties implied by law. Nothing herein shall be construed as a recommendation to use any product in conflict with existing industrial property rights covering any material or its use.

Find out more at corex.com.au | hello@corex.com.au | (03) 9238 1300

Corex Plastics (Australia) Pty Ltd

261 Frankston-Dandenong Road,
Dandenong, Victoria, Australia, 3175

ABN. 39 006 418 300

Corex Recycling Pty Ltd

2 Monterey Rd,
Dandenong, Victoria, Australia, 3175

ABN. 39 126 973 500

Megara (Australia) Pty Ltd

261 Frankston-Dandenong Rd
Dandenong VIC, 3175.

ABN 99 657 527 010





CORFLUTE® MATERIAL SAFETY DATA SHEET

Emergency telephone number (Business Hours) 61 3 9238 1300

15. REGULATORY INFORMATION

AICS: All components in this product are listed on the Australian Inventory of Chemical Substances (AICS).

POISON SCHEDULE: None allocated

AGRICULTURAL AND

VETERINARYCHEMICALS ACT 1988:

Not applicable

16. OTHER INFORMATION

This product is confirmed PFAS-free (contains no per- and polyfluoroalkyl substances).

UPDATE DATE: 5TH June 2025

DISCLAIMER: The information contained in this MSDS is to the best of our knowledge true and correct. Before using a Corex product, customers and other users should make their own independent determination that the product is suitable for the intended use. They should also ensure that they can use the Corex product safely and legally. This document does not constitute a warranty, express or implied, including a warranty of merchantability or fitness for a particular purpose. In addition, no immunity under Corex's or third parties' intellectual property rights shall be implied from this document. No one is authorized to make any warranties, issue any immunities or assume any liabilities on behalf of Corex except in a writing signed by an authorized Corex employee. Unless otherwise agreed in writing, the exclusive remedy for all claims is replacement of the product or refund of the purchase price at Corex's option, and in no event shall Corex be liable for special, consequential, incidental, punitive or exemplary damages.

The information contained in this MSDS is to the best of our knowledge true and correct. However, as many factors outside our knowledge and control can affect the use of products, no warranty can be given or is to be implied in respect of such information and no information should be construed as a warranty in relation to the product or its use. Corex Plastics (Australia) Pty Ltd disclaims and does not accept liability for the information or recommendations whether contractual or tortious and hereby excludes all warranties to be implied by law in relation to the product or its use other than those non excludable warranties implied by law. Nothing herein shall be construed as a recommendation to use any product in conflict with existing industrial property rights covering any material or its use.

Find out more at corex.com.au | hello@corex.com.au | (03) 9238 1300

Corex Plastics (Australia) Pty Ltd

261 Frankston-Dandenong Road,
Dandenong, Victoria, Australia, 3175

ABN. 39 006 418 300

Corex Recycling Pty Ltd

2 Monterey Rd,
Dandenong, Victoria, Australia, 3175

ABN. 39 126 973 500

Megara (Australia) Pty Ltd

261 Frankston-Dandenong Rd
Dandenong VIC, 3175.

ABN 99 657 527 010

